

Access Control Hardware Manual

#### Key description

OK Confirm key: Make sure your current operation;

MENU Menu key: In the initial condition according to the key

can enter the management interface;

ESC Cancel key: Cancel your current operation;


▲ Up key: Turning up menu items;

Down key: Turning down menu items;


Doorbell key: Control the doorbell switch:

Digital: Digital key: Input digital 0-9;

#### The wiring diagram




#### 1.1 Registered users



Note: when choosing a password or ID card (machine with the function),the name of the person can be uploaded through the access control software;

#### 1.2 Administrator setting



Note: after setting the administrator, the menu needs to be confirmed by the administrator, the success of the menu;



#### 1.3 Communication settings



- ★Device IP: the default IP for the 192.168.8.198, you can according to the need for change;
- ★Subnet mask: the default for 255.255.255.0, you can according to the need for change:
  - ★Default gateway: the default for 192.168.8.1, you can be the basis of the need for change:
  - ★Device port: communication used the port number, the default for 5005:
- ★Server IP: the default for 192.168.0.1, real-time monitoring of the computer when IP address, you can be the basis of the need for change:
- ★Server port:communication port, the default used for 7005;
- ★Realtime Req:real-time monitoring fingerprint access to the computer when whether to send data. The default is no:

Note: the need to use the network interface communication when it is necessary to carry out the setting, if the USB communication is directly inserted into the LISB line:

#### 2. Entrance guard function setting



- ★Time setting: is defined time for a week each day can unlock the definition of the time:
- ★Users:user entrance guard Settings is the user lock and unlock the set time combination;
- ★Unlock Time: is fingerprints machine control open or close the locks of the time:

- ★Lock Type Set:includes three kinds::No, Open, Close; "No" refers to not use magnetic switch on the door, "Open" often a door lock is to open, "Close" the door closed to lock magnetic;
- ★Anti Pass: To prevent the following entry;
- ★Alarm Time: is open the door for some time after began to call the police, this paragraph of time is door magnetic delay
- ★Turn Off Alarm:in alarm has trigger, and has ruled illegal operation, but not by this option to stop the police.

#### 3. Fingerprint Integrated

• This is the preference when you buy the machine



S As seen here: take out the frame cover from bottom to top



As seen here: grip the two sides of frame cover, pull outward slightly



As seen here: put screws in place red marked, and install the device on the wall.



6Put the frame cover back



Put the frame cover back from top to button



Lock the frame cover from outside



### 4. Packing List

In addition to the machines, the box also contains the following items:

- 1 Ring 1PCS
- Screws 4PCS
- 3 Up stopper 4PCS
- USB data cable 1PCS
- Operating Instructions 1PCS
- **6** Terminal (2P, 3P, 4P, 10P each one)